

Experimental Study of Methane Hydrates in Coal

Vyacheslav Smirnov^{1*}, *Valery Dyrdin*¹, *Tatyana Kim*¹, *Andrey Manakov*² and *Aleksey Khoreshok*³

¹T.F. Gorbachev Kuzbass State Technical University, Department of physics, 650000 Kemerovo, 28 Vesennaya st., Russian Federation

²Nikolaev Institute of Inorganic Chemistry SB RAS, laboratory of clathrate compounds, 630090 Novosibirsk, Ac. Lavrentiev Ave., 3, Russian Federation

³T.F. Gorbachev Kuzbass State Technical University, Department of mining machines and systems, 650000 Kemerovo, 28 Vesennaya st., Russian Federation

Abstract. The possibility of gas hydrate formation in porous space of coal has been studied. The experiments conducted have proven the possibility of methane gas hydrate formation in moist coal. It has been demonstrated that the decomposition points of methane gas hydrates in coal are near to the phase equilibrium curve for bulk methane hydrate. Only part of water absorbed by coal can be involved in the methane gas hydrate formation. With the increase in gas pressure increases the amount of gas hydrate formed in natural coal. For formation of hydrates at a positive temperature, the pressure in the system has to be at least 2 MPa. At the same time the speed of formation and decomposition of gas hydrates in coal is big enough.

1 Introduction

In the process of metamorphism of coal matter about 300 m³ gaseous substances are formed per each ton of coal [1-4], generally they include carbon dioxide, methane, and nitrogen. The reservoir pressure of methane, on average, linearly depends on depth and for different coal seams it is in the range $(0.4 \div 1)\gamma H$, where γH is the rock pressure of undisturbed coal seam, $\gamma = 25\ 000\ \text{H/m}^3$ is the average specific weight of rocks, and H (m) is a seam depth from a daylight surface. Respectively, for the seams lying at a depth from 400 to 600 meters, gas pressure can reach 4÷15 MPa. In spite of the fact that coal bed methane is a valuable raw material for industrial use, in modern conditions of mining technology methane is frequently considered as an accessory and dangerous product of mining [4], especially in case of underground mining. In fact, almost all researchers [2-6], carrying out estimates of amount of the methane in a gaseous state absorbed on a surface and adsorbed in volume of solid substance, come to the conclusion that the actual content of methane in

* Corresponding author: smirnovvg@mail.ru

natural coals often surpasses their estimates. Therefore, it is necessary to look for other forms of methane location in coal mass. The assumption was made of a possibility of finding methane in a form of gas hydrates, which are formed from coal bed methane and natural moisture under suitable pressure-temperature conditions [7-9]. Gas hydrates are clathrate compounds in which molecules of gas-hydrating agent are included in cavities of the polyhedral framework constructed of water molecules. One volume of methane hydrate can contain about 170 volumes of gas [10-14]. The lowest homologues of hydrocarbons (C1-C4), carbon dioxide, nitrogen, oxygen, etc. can act as a hydrating agent. The existence of hydrates needs increased pressure and, as a rule, below room temperature. In most cases temperature of decomposition of hydrates increases with growth of pressure. So, equilibrium pressures of hydrate of pure methane at 0 and 10 °C are up to 2.51 and 6.95 MPa respectively [10]. In this paper the results of pilot studies of formation and decomposition of methane hydrate in pore space of natural coal are presented. The main objective of research was to define pressure-temperature conditions under which the formation and decomposition of gas hydrates in pore space of natural coal occurs, and also to find out amount of water, capable of being involved in the formation of gas hydrates.

2 Experimental unit

The basic component of the used experimental unit is the cylindrical high pressure autoclave made of stainless steel and furnished with the gate valve, the pressure transformer and the thermocouple incorporated inside. The autoclave is located in the programmable cryostat. Before the experiment, the coal sample is loaded into the autoclave, free volume is washed out by methane several times for removal of air and the working pressure of gas is created. For experiments pure methane and carbon dioxide were used. In both cases the amount of impurity in each of these gases was less than 0.01%. The thermocouple is installed in the geometric centre of the cylindrical autoclave. Gas pressure in the autoclave, temperature inside the autoclave, and also temperature of the thermal liquid washing the autoclave outside are measured by means of the pressure transducer and temperature transducers. Data from the transducers are registered every 20 seconds by the computer.

Before loading in the autoclave, the coal preparation had been carried out. The selected natural coal was dried up in the vacuum furnace at a temperature of 110 °C within 4 hours till complete loss of moisture. Then the sample of coal was located in a desiccator with the constant air humidity, its humidity was measured in accordance with the change of mass of coal. To maintain the constant humidity in the desiccator, a Petri dish with the distilled water or saturated salt solution was put inside. Within several days (5 and more) the mass of coal reached the constant value, the equilibrium humidity of coal without contact with liquid water was reached. The sizes of particles of the coal taken for experiments were in range from 0.5 to 2.0 mm.

3 Results of the experiments and discussion

3.1 Isotherms of water sorption by coal sample

The formation of gas hydrates in porous space of coal depends on the form and the amount of moisture present in coal. Before carrying out experiments the water sorption isotherm of the K grade coal sample taken from outburst-prone seam XXVII of mine "Berezovskaya" in Kemerovo district was studied. Dependence of the established humidity of coal on relative air humidity in which the coal was kept is given in fig. 1 – the sorption isotherm at 22 °C. By its form the received curve is similar to those found in literature [16-18].




Fig. 1. Water sorption isotherms of K grade coal at temperature 295K.

3.2 Experiments on formation and decomposition of gas hydrates in coal

For carrying out experiments the prepared coal of the known humidity was located in the autoclave in which the working pressure of gas was created. On the programmable thermostat the program of linear decrease of temperature was set to study formation of gas hydrates when cooling. To study the decomposition of gas hydrates, the program of linear temperature increase was set on the thermostat. In the absence of phase transformations, the linear change of temperature led to linear change of pressure in the autoclave. During the formation and decomposition of gas hydrates the step on a pressure curve occurred. Experimental data allowed calculating the volume of the methane in a gaseous state and therefore the amount of the methane involved in the formation of gas hydrates. On the basis of the amount of the methane participating in hydrate formation and the formula of hydrate $\text{CH}_4 \cdot 6\text{H}_2\text{O}$ it is possible to calculate percent of the moisture W_g participating in hydrate formation. The P-T chart of change of pressure and temperature in the autoclave containing gas and moisture coal in the course of the experiment under code 208 is given in Fig. 2. Gas emission peaks are clearly visible: positive peak when heating and negative peak when cooling of system. The arrows indicate the direction of the temperature change.




Fig. 2. P-T chart for experiment 208

To detect the trends of formation and decomposition of gas hydrates in natural coal a series of experiments was conducted. Usually (except 207, 208) experiments began at a temperature of +20 °C, then a linear decrease of temperature to -25 °C occurred, the hold for 60 minutes and again linear temperature increase with a constant speed. Decrease speed θ_1 and increase speed θ_2 temperatures for each experiment, and also pressure and temperature of the centre of the bend arising at formation and decomposition of gas

hydrates are specified in Table 1. In Table 1 the humidity of the coal W0 loaded into the autoclave, and also Wg – the amount of water which is involved in formation of gas hydrates converted into percent from the mass of coal is specified.

Table 1. Experimental points of formation and decomposition of gas hydrates, and amount of water involved in the formation of gas hydrates

Code	w ₀ , % mass	Formation upon cooling				Decomposition upon heating			
		Θ_1 , mK/s	P, MPa	T, K	Wg, %	Θ_2 , mK/s	P, MPa	T, K	Wg, %
207	2.67	-	-	-	-	5.56	5.07	280.1	0.97
208	2.67	5.56	5.14	275.9	0.79	5.56	5.13	279.8	0.67
625	2.81	2.22	4.48	272.7	0.71	1.04	3.78	275.5	0.84
627	2.81	6.25	2.38	271.9	0.47	1.11	2.16	268.4	0.69
629	2.81	6.25	5.30	276.6	0.84	2.08	5.27	278.4	0.93
709	2.95	2.08	4.16	273.2	0.57	0.83	4.17	276.9	0.86
711	2.95	6.25	2.31	268.5	0.60	2.50	2.33	269.4	0.69
716	2.42	4.17	5.34	271.4	0.42	1.04	5.54	278.9	0.67
717	2.42	-	-	-	-	2.50	2.46	269.5	0.43

In Figure 3 the experimental points of decomposition and formation of gas hydrates in natural coal are given. The zone of stable existence of methane hydrates is above and more to the left of the phase equilibrium curve drawn as a continuous line. As the moment of phase transition the centre of the bent has been accepted, i.e. the section with the biggest inclination on P-T chart. Taking into account the extent of phase transition it is possible to say that all points of decomposition lie near the phase equilibrium curve of methane hydrate. The formation of gas hydrates happens when the system cools down on 3÷5 K in reference to the equilibrium curve of phase transition. The received results can be explained by the influence of porous structure of coal and they can be compared to the data obtained by other researchers [19].




Fig. 3. The experimental points of decomposition of hydrates in natural coal.

The analysis of experimental data (Table 1) has shown that the amount of the moisture involved in hydrate formation is influenced by pressure of methane and humidity of coal. For construction of graphs in Fig. 4 and Fig. 5 the implemented experiments were arranged according to values of close humidity and close gas pressure. It can be seen that for each group of experiments with increase in the humidity of coal the amount of water, capable to be involved in hydrate formation monotonously increases. On the basis of the type of

dependence, it is possible to assume that for pressure of 2.2÷2.5 MP the moisture participating in hydrate formation exceeds a threshold in 1.7%, and for pressure of 5÷6 MP this threshold is 1.3% of absorbed moisture, it decreases at increase of gas pressure. This size of humidity (about 1.5%) approximately corresponds to plateau level on a sorption isotherm of water (Fig. 1).




Fig. 4. The dependence of moisture involved in hydrate formation W_g on pressure of methane.




Fig. 5. The dependence of moisture involving in hydrate formation W_g on total moisture of coal W_o

4 Conclusions

Experiments show that in porous structure of natural coal, at the humidity corresponding to the term "air - dried coal" and suitable pressure and temperature, methane hydrates can be formed. Pressure and temperature conditions of formation and decomposition of methane hydrates in coal are close to the phase equilibrium curve. The amount of water involved in formation of gas hydrates always is less than humidity of coal. With increase in pressure of methane the amount of the hydrate formed in the taken coal sample increases. For formation of hydrates at a positive temperature, the pressure in the system has to be not less than 2 MPa. At the same time, the speed of formation and decomposition of gas hydrates in coal is big enough.

This work was supported by Russian Foundation for Basic Research grant 15-05-02240.

References


1. Van Krevelen DW. *Coal: typology, physics, chemistry, constitution* (Amsterdam, London, New-York, Tokyo, 1993).
2. Fengde Zhou, Guangqing Yao, Stephen Tyson, International Journal of Coal Geology **146**, 14 (2015)
3. A. D. Alekseev and E. P. Feldman, Technical Physics Letters, **34**, 609 (2008)
4. C.Özen Karacan, Felicia A. Ruiz, Michael Cote, Sally Phipps, International journal of coal geology **86**, 121 (2011)
5. Weishauptova Z, Medek J., Fuel, **77(1/2)**, 71 (1998)
6. Alexeev AD, Vasylenko TA, Ul'yanova EV, Solid State Commun, **130**, 669 (2004)
7. Dyrdin VV, Smirnov VG, Shepeleva SA, J Min Sci., **49(6)**, 908 (2013)
8. Yan L, Chen G, Pang W, Liu J, J Phys Chem B, **109**, 6025 (2005),
9. Hao S-Q, Kim S, Qin Y, Fu X-H., Ind Eng Chem Res, **52**, 18492 (2013)
10. Sloan ED, Koh CA., *Clathrate hydrates of natural gases. 3rd ed. Boca Raton* (London, New-York, CRC Press, 2008).
11. Milkov AV., Earth Sci Rev, **66(3-4)**, 183 (2004)
12. Makogon YF, Holditch SA, Makogon TY., J Petrol Sci Eng, **56**, 14 (2007)
13. Vyacheslav G. Smirnov, Andrey Yu. Manakov, Elissa A. Ukraintseva, Galina V. Villevald, Tamara D. Karpova, Valeriy V. Dyrdin, Sergey Yu. Lyrshchikov, Zinifer R. Ismagilov, Irina S. Terekhova, Andrey G. Ogienko, Fuel, **166**, 188 (2016)
14. Kurihara M, Funatsu K, Ouchi H, Sato A, Yasuda M, Yamamoto K et al, *Proceedings of the 7th international conference on gas hydrates (ICGH 2011)* (Edinburgh, Scotland, United Kingdom, 2011).
15. Zimny T, Finqueneisel G, Cossurutto L, Weber JV., J Colloid Interface Sci., **285**, 56 (2005)
16. Charriere D, Behra P., J Colloid Interface Sci., **344**, 460 (2010)
17. Kaji R, Maranaka Y, Otsuka K, Hishinuma Y., Fuel, **65**, 288 (1986)
18. Aladko EY, Dyadin YA, Fenelonov VB, Larionov EG, Manakov AY, Mel'gunov MS, et al., J Phys Chem B, **110**, 19717 (2006)

E3S Web of Conferences

Proceedings



The 1st International Innovative Mining Symposium
(in memory of Prof. V. Pronoza)



ENVIRONMENT, ENERGY &
EARTH SCIENCES

E3S Web of Conferences

**The 1st International
Innovative Mining Symposium
(in memory of Prof. Vladimir Pronoza)**

Kemerovo, Russian Federation, April 24-26, 2017

Edited by:

M. Tyulenev, S. Zhironkin, A. Khoreshok, S. Voth,
M. Cehlar and Y. Tan

The logo for 'edp sciences' features the lowercase letters 'edp' in a stylized, lowercase font, followed by the word 'sciences' in a clean, lowercase sans-serif font.

Organizing Committee

Aksenov Vladimir V., DSc, Prof., Head of Laboratory of Mining Geotechnical Engineering of the Institute of Coal of SB RAS, Kemerovo, Russia

Asmelash Abay, PhD, Assoc. Prof., College of Natural and Computational Sciences, Mekelle University, Ethiopia

Barysheva Galina A., DSc, Head of Economics Department, National Research Tomsk Polytechnic University, Tomsk, Russia

Cehlár Michal, PhD, Prof. Ing., Dean of Mining Faculty, Technical University of Kosice, Kosice, Slovak Republic

Demirel Nuray, PhD, Middle East Technical University, Turkey

Gasanov Magerram A., DSc in Economics, Prof., National Research Tomsk Polytechnic University, Tomsk, Russia

Gvozdikova Tatyana N., PhD, Director of Mezhdurechensk Branch of T.F. Gorbachev Kuzbass State Technical University, Mezhdurechensk, Russia

Khoreshok Alexey A., DSc, Prof., Director of Mining Institute, T.F. Gorbachev Kuzbass State Technical University, Kemerovo, Russia

Kostyuk Svetlana G., Vice-Rector, T.F. Gorbachev Kuzbass State Technical University, Kemerovo, Russia

Krechetov Andrey A., PhD, Acting Rector, T.F. Gorbachev Kuzbass State Technical University, Kemerovo, Russia

Lesin Yury V., DSc, Prof., Kuzbass State Technical University, Kemerovo, Russia

Markov Sergey O., PhD, Assoc. Prof., Surveying and Geology Department, T.F. Gorbachev Kuzbass State Technical University, Kemerovo, Russia

Misnikov Oleg S., DSc, Dean, Tver State Technical University, Tver, Russia

Myaskov Alexandr V., DSc, Dean, National University of Science and Technology MISiS, Russia

Seroni Anyona, PhD, Assoc. Prof., Jomo Kenyatta University of Agriculture and Technology, Kenya

Tyulenev Maxim A., PhD, Prof., T.F. Gorbachev Kuzbass State Technical University, Kemerovo, Russia; Yurga Technological Institute of National Research Tomsk Polytechnic University, Russia

Vöth Stefan, Dr.-Ing., Prof., TFH Georg Agricola, Bochum, Germany

Janočko Juraj, PhD, Technical University of Kosice, Kosice, Slovak Republic

Zhironkin Sergey A., DSc, Prof., National Research Tomsk Polytechnic University, Tomsk, Russia

Contents

00001 Preface: the role of T.F. Gorbachev State Technical University as the Flagship of Kemerovo Region Innovative Development

A. Krechetov

Perspective Mining Technologies

01001 The Length Of Bearing Pressure Zone For The Flat Seams Extraction In A Linear Deformation Rock

V. Gogolin, Y. Lesin and A. Djagileva

01002 The influence of advancing speed of powered mining stope with single face on earth's surface displacing in Kuzbass

A. Renev, S. Svirko, A. Bykadorov and V. Fedorin

01003 Energy Consumption in the Process of Excavator-Automobile Complexes Distribution at Kuzbass Open Pit Mines

I. Panachev, B. Gerike, I. Kuznetsov and A. Shirokolobova

01004 Slope Stability Assessment and Underground Mine Design Analysis of Achibo-Sombo Underground Conventional Coal Mine, Southwest Ethiopia

M. Haftu, B. Konka, K. Woldeargay and A. Abay

01005 Geomechanics of rock array for chamber system of coal deposits development on the example of finalizing by KGRP complex

A. Bykadorov, D. Degtyarev, S. Smirnov and O. Pechenegov

01006 Justification of the Optimal Granulometric Composition of Crushed Rocks for Open-Pit Mine Road Surfacing

V. Shalamanov, V. Pershin, S. Shabaev and D. Boiko

01007 Optimization of transportless technological schemes for coal seams quarrying

T. Gvozdikova, E. Plotnikov and E. Usova

01008 The features of three- and four-tier internal dumps capacity calculation with the additional capacity preparation in the dump tiers

T. Gvozdikova, E. Kuznetsov, A. Rudakova and S. Markov

01009 The Relationship Between the Manifestations of Rock Pressure and the Relative Deformation of Surrounding Rocks

S. Kostyuk, N. Bedarev, O. Lyubimov and A. Shaikhislamov

01010 Computer Simulation of Electroosmotic Soils Treatment

M. Gucal and A. Pokatilov

01011 Innovative numerical modelling of technogenic rock arrays structure

S. Markov, M. Tyulenev, O. Litvin and E. Tyuleneva

01012 Definition of the form of coal spontaneous combustion source as the inverse problem of geoelectrics

D. Sirota, V. Ivanov and V. Khyamyalyaynen

- 01013 Numerical Simulation of Primary Roof Collapse in Production Workings
I. Ermakova and V. Klimov
- 01014 The Study of Processes of Electrochemical Treatment of Soils at the Pilot Test Site
S. Prostov, E. Shabanov and A. Shadrin
- 01015 The study of stress-strain state of stabilized layered soil foundations
M. Sokolov, S. Prostov and V. Zykov
- 01016 Justification of parameters and technology of retaining prism filling to eliminate landslide
V. Balakhnin, O. Veretennikova, R. Pobegaylo and E. Mezina
- 01017 Use of Deep Peat-Processing Products for Hydrophobic Modification of Gypsum Binder
O. Misnikov and V. Ivanov
- 01018 Software for Automated Production Line of Peat Briquettes
V. Lebedev and O. Puhova
- 01019 Assessment process of concept for mining and its impact on the region
M. Cehlár, J. Janočko, Z. Šimková and T. Pavlik
- 01020 Experimental Study of Methane Hydrates in Coal
V. Smirnov, V. Dyrdin, T. Kim, A. Manakov and A. Khoreshok
- 01021 Expert evaluation of innovation projects of mining enterprises on the basis of methods of system analysis and fuzzy logics
A. Pimonov, E. Raevskaya and T. Sarapulova
- 01022 Gas hydrates in coal seams and their impact on gas-dynamic processes in underground mining
T. Kim, V. Dyrdin, V. Smirnov and V. Nesterov

Environment Saving Development of Mining

- 02001 Environmental and Economic Efficiency of Comprehensive Technology of Sulfur Oxides, Nitrogen Oxides and Mercury Removal from Flue Gases
S. Grigashkina, T. Galanina, V. Mikhailov, T. Koroleva and E. Trush
- 02002 Utilization prospects for coal mine methane (CMM) in Kuzbass
O. Tailakov, D. Zastrellov, V. Tailakov, M. Makeev and P. Soot
- 02003 The Experience of Using Innovative Artificial Filter Arrays on South Kuzbass Open Pit: Case Study
M. Tyulenev, Y. Lesin, E. Tyuleneva and E. Murko
- 02004 The results of air treatment process modeling at the location of the air curtain in the air suppliers and ventilation shafts

A. Nikolaev, N. Alymenko, A. Kamenskih and V. Nikolaev

02005 Mitigating Against Conflicts in the Kenyan Mining Cycle: Identification of Gaps in the Participation and Recourse for Rights Holders (Civil Society & Community)

S. Anyona and B. Rop

Innovative Mining Equipment

03001 Modeling of Power Consumption of the Mining Equipment Using “The Probabilistic Automata Method”

A. Zakharova, V. Kashirskikh, I. Lobur, N. Shauleva and V. Borovtsov

03002 Application of Machine Learning for Dragline Failure Prediction

A. Taghizadeh and N. Demirel

03003 Kinematic Parameters Of Rotary Transmission With Hydraulic Cylinders

M. Blaschuk, A. Dronov, A. Koperchuk, R. Chernukhin and V. Litvinenko

03004 The results of cutting disks testing for rock destruction

A. Khoreshok, L. Kantovich, V. Kuznetsov, E. Preis and D. Kuziev

03005 Grinding efficiency improvement of hydraulic cylinders parts for mining equipment

A. Korotkov, V. Korotkov, L. Mametyev, L. Korotkova and T. Terjaeva

03006 The Smart Grid using in the Kuzbass open-pit coalmine

I. Semykina, A. Evstratov and G. Lebedev

03007 Multifunctional Testing Rig for Machinery Safety Equipment

S. Vöth, J. Tschersich and Tim Schwartz

03008 Development of the preventive maintenance system for belt conveyors reducers

B. Gerike, I. Panachev and E. Kuzin

03009 Determination of Load Performance of Two-Bar Girder Lining

Y. Glazkov, A. Kazantsev, D. Nesteruk, V. Aksenov and A. Efremenkov

03010 Ways of increasing excavator fleet productivity in Russian coal open pits (Kuzbass case study)

M. Drygin, N. Kurychkin and A. Bakanov

03011 Strategy of Russian Coal Mining Enterprises' Excavator Park Technical State Correction

M. Drygin, N. Kurychkin and A. Bakanov

03012 The innovative development of machine building as a driver of import substitution

S. Zhironkin, M. Gasanov, G. Barysheva, K. Kolotov and O. Zhironkina

03013 “Smart Service” as an innovative system of service for mining companies in Kuzbass

L. Samorodova, L. Shut'ko, Y. Yakunina and O. Lyubimov

03014 Special Modes of AC Drives Operation in the Mining Industry

L. Payuk, N. Voronina, O. Galtseva, D. Zhang and A. Rogachev

03015 Impact of the number of blades of the geokhod cutting body on cutting forces
V. Aksenov, V. Sadovets, E.Rezanova and D. Pashkov

03016 Comparison of technological efficiency of gravitational devices for preparation of
large diluted coal
V. Udovitsky, V. Kandinsky and A. Begunov

03017 The intelligent mechatronic system for open pit mining to increase the operation life
of equipment
I. Semykina, V. Zavyalov and V. Kashirskikh

Economic and Social Development of Mining Regions

04001 The principles of municipal industrial clusters' establishment on the territory of
advancing social-and-economic development of mono-town
O. Ivanova, G. Antonov and S. Bereznev

04002 The innovative strategy of social and economic development of mining region
S. Bereznev, O. Zonova and E. Lubkova

04003 The analysis of strategies for the mining regions' development in Russia as a
condition of effective management of economy
N. Zaruba, N. Egorova and P. Kosinskij

04004 Increasing the efficiency of coal mining based on the concept of Shewhart-Deming
variability management
V. Mikhailchenko and Y. Rubanik

04005 Evaluation of consumer satisfaction with the quality of training of young
professionals by the universities for enterprises of coal-mining complex
V. Mikhailchenko and I. Seredkina

04006 Innovative development of the economy as the most important factor in ensuring the
financial security of the mining region
N. Kudrevatykh, T. Snegireva and A. Tselischeva

04007 Theoretical Foundations of the New Industrialization of the Mining Region under
Globalization
L. Kusurgasheva, O. Nedospasova and E. Zhernov

04008 Problems and Prospects of Sustainable Development of Mining Regions
I. Levitskaya, N. Pastukhova and O. Dubrovskaya

04009 Innovations as borders of stages of coal industry historical development
E. Sigareva, S. Popov, S. Baturin, N. Sidorova and M. Borisova

04010 Using innovative interactive technologies for forming linguistic competence in
global mining education
G. Chistyakova, E. Bondareva, K. Demidenko, E. Podgornaya and O. Kadnikova

- 04011 Technological convergence and innovative development of natural resource economy
F. Agafonov, A. Genin, O. Kalinina, O. Brel and O. Zhironkina
- 04012 Structural problems of mining region innovative development (Kuzbass, Western Siberia)
E. Dotsenko and N. Ezdina
- 04013 Neo-industrialization of Kuzbass economy in innovative development of coal industry and machinery
A. Balabanova, V. Balabanov, E. Dotsenko and N. Ezdina
- 04014 The problems of correlation the life quality and interpersonal dialogue in legal practice of mining regions
V. Zolotukhin, E. Stepantsova, M. Kozyreva, A. Tarasenko and A. Stepantsov
- 04015 Demographic and migration policy in the mining region and its impact on the ecological consciousness of the population
V. Zolotukhin, A. Bel'kov, E. Stepantsova, M. Kozyreva and A. Tarasenko
- 04016 Cross-cultural analysis of the verbal conflict behavior of the graduate mining engineers
I. Pevneva, O. Gavrishina, A. Rolgayzer, M. Agienko and A. Myaskov
- 04017 The impact of human factor on labor productivity at the mining enterprises
G. Pinigina, I. Kondrina, S. Smagina, V. Tatsienko and A. Meshkov
- 04018 Enhancing the Role of Educational Services of Higher Education System in the Competitive Specialists Training for Industry
O. Kuznetsova, S. Kuznetsova, E. Yumaev, V. Kuznetsov and I. Plotnikova
- 04019 Formation and Development of the Training System for Innovative Development of Regional Industry
O. Kuznetsova, S. Kuznetsova, E. Yumaev, V. Kuznetsov and O. Galtseva
- 04020 Evaluating the Effectiveness of Internal Corporate Controls in Coal Mines Illustrated By the Example of JSC "SUEK-Kuzbass"
E. Kucherova, T. Ponkratova, T. Tyuleneva and N. Cherepanova
- 04021 The communication aspect of specialists' professional competence
L. Znikina, N. Mamontova and P. Strelnikov

The development of mining technologies is impossible without innovations in the entire complicated process of extraction of mineral resources, investment in the modernization of mining equipment and the development of human capital. The aim of The 1st Scientific Practical Conference "International Innovative Mining Symposium (in memory of Prof. Vladimir Pronoza)" is to create a platform for international discussion of mining problems by specialists, experts and researchers. Today, the innovative development of mineral resource sector in industrial regions challenges the system of higher mining education. The role of engineering pedagogy is increasing in globalization of mining and engineering humanization.

ISBN: 978-2-7598-9016-3

