

Modeling of Hydraulic Power Cylinder Seal Assembly Operation

BUYALICH Gennady D^{1,2}, BUYALICH Konstantin G¹

1.Mininginstitute, T.F. Gorbachev KuzbassState Technical University, 650000
Kemerovo, Russia;

2.Yurga Institute of Technology of Tomsk Technical University, 652055 Yurga,
Russia

Abstract: The nature of the hydraulic power cylinder seal assembly operation with high working fluid pressure, different geometrical parameters of lip-type seal, is revealed. The method of hermetic sealing process modeling according to the simplified model using finite element method is considered.

Keywords: finite element method, modeling, hydraulic power cylinder, hermetic sealing, seal.

1. Introduction

Sealing property of hydraulic power cylinders, which include hydraulic jacks and powered support props, is determined by the size of the gap between the piston and working cylinder, as well as by the operation of lip-type seal in this gap.

This paper present comparative assessment of performance of three seals, made according to the State Standard 6678-72, State Standard 14896-84 and State Standard 6969-54, which differ in shape and geometrical dimensions.

2. Work Description

The assessment of seal parameters of the sealed gap was made on parametric axi-symmetric finite element model of the seal assembly; the initial parameters being geometric dimensions of lip-type seal and lip seal groove of the piston; sealable gap, material properties, the working fluid pressure.

As the working fluid was adopted water-in-oil emulsion, sealing pressure—50 MPa. Since the lip-type seal of hydraulic powered props lip is made of

low-compressibility material, the Mooney-Rivlin model with two parameters is most suitable to describe its behavior.

According to the model the calculation was carried out in two stages: on the first stage the deformed state of lip-type seal after the cylinder assembly was simulated (Fig.1); on the second stage— from the working fluid effect in the form of distributed load on the internal sealing surfaces (Fig. 2).




Fig. 1: Deformations (a) and load distribution according to Mises (b) in the lip-type seal on the basis of State Standard 6969-54 after assembly.




Fig. 2: Axial movement (a) и contact pressure (б) in the lip-type seal on the basis of State Standard at working fluid pressure 50 MPa.

For reliable liquid blockage the seal parts should adjoin tightly the details conjugate to them by means of preload and the working liquid pressure. The sealing parts must fit all mechanical regularities and to prevent the formation of the gap

through which the fluid could leak when moving. On this basis, the following criteria for assessment of the parameters of the seal operation are proposed [1]:

- seal load factor $[n] = \frac{[\sigma]}{\sigma_{\max}}$

where σ_{\max} and $[\sigma]$ and maximum and allowable equivalent loads in the seal respectively, MPa; value of seal material pressing-out into the gap L_s , mm; relative value of seal material pressing-out into the gap, equal to the previous value,

$$\text{relative to the gap } K_3 = \frac{L_s}{\delta}; \text{maximum}$$

contact pressure across the sealable

surface p_k^{\max} , MPa;

- working fluid blockage coefficient

$$K_{3II} = \frac{\bar{p}_k}{p},$$

where \bar{p}_k – average contact pressure

across the sealable surface, MPa;

p – working fluid pressure, MPa.

Criteria values calculated using the developed parametric model for various types of lip-type seal when the piston diameters of 220mm and gap size is of $\delta = 0.25$ mm are shown in Table1.

Table 1: Seal operation criteria values in the sealed gap

Seal type	Load factor n_{3II}	Pressing-out into the gap L_3 , mm	Pressing-out, relative to the gap K_3	maximum contact pressure p_k^{\max} , MPa	working fluid blockage coefficient K_{3II}
State Standard 6678-72	3.1	1.06	4.2	56.7	1.13
State Standard 14896-84	4.9	0.75	3.0	48.9	0.97
State Standard 6969-54	3.9	0.63	2.5	57.1	1.14

As the table shows, the value of seal material pressing-out into the gap and Pressing-out, relative to the gap the give the most complete assessment of seal operation in the sealed gap.

The evaluation of operation of the seal in the gap between the piston and the cylinder using the finite element method is a laborious process [2, 3]. This is due, primarily, to the nonlinearity of the outer surface of the seal and the related additional complexity of creating a regular finite element mesh, as well as to with large model formations (especially

in the gap), which reduce the probability of the solution convergence.

In order to eliminate these difficulties the simplified model of lip-type seal was developed (Fig.3), which differs from the real one in the absence of "antennae". The accuracy of the results obtained on the basis of the simplified model in the gap area does not differ from the results obtained on the basis of a real model; at the height of the model being not lower than (B_{up}) the height of the main body of the lip-type seal. The error in the calculation is about 0.05 %.




Fig. 3: The simplified model of seal assembly of hydraulic powered support prop

The developed model allows taking into account the following parameters (Fig. 3):

- geometrical dimensions: height (B_{up}), width (D_{up}), seal rounding radius (R_{up}),
- spherical radius of the groove edges of the piston (R_{por});
- sealed gap (δ);
- properties of the seal material;
- the fluid pressure in piston cavity of the of hydraulic powered support prop (P).

3. Conclusions

On the basis of the calculations using the simplified models the basic regularities and the mode of lip-type seal behavior in the gap are found:

- pressing out into the gap and equivalent loads vary according to the linear relationship in direct proportion to the spherical radius of the groove edges of the piston (R_{por}), sealed gap, the fluid pressure and inversely to the spherical radius of the seal (R_{up});
- the maximum equivalent loads are in the immediate vicinity to the edges of the groove of the piston (Fig. 4);
- the height increase lead to a slight decrease (within 0.001 mm per 1mm of height) of the quantity of pressing out into the gap, wherein the internal load increases (0.1 MPa per 1mm of height);
- the 10 MPa pressure increase results in an 0.1 mm increase of the value of the

pressing out into the gap and 5MPa increase of the internal load.




Fig. 4: Mode of deformation of the seal bear the gap

4. Reference

- [1] Buyalich, K. G. Criteria of an estimation of quality of work of consolidation of hydraulic legs of powered support// Mining equipment and electromechanics. – 2009. – № 5. – 8–10 p.
- [2] Aleksandrov B. A. Influence of geometrical parameters of sealing on expression size in cylinder clearance / B. A. Aleksandrov, K. G. Buyalich // Mining informational and analytical bulletin (scientific and technical journal). – 2010. – Specialedition 3: Mining engineering. – 88–92 p.
- [3] Buyalich, G. D. Regular lattice of finite elements collar seals hydro desk / G. D. Buyalich, K. G. Buyalich// Mining informational and analytical bulletin (scientific and technical journal). – 2012. – Special edition 3: Mining engineering. – 119–121 p.

THEME
CHINESE COAL
IN THE XXI CENTURY:
MINING, GREEN
AND SAFETY



TAISHAN
ACADEMIC
FORUM

PROJECT
ON MINE
DISASTER
PREVENTION
AND
CONTROL

OCTOBER 17/20, 2014
QINGDAO, CHINA
EDITED BY
WEIJIA GUO, YUNLIANG TAN,
YONGJIE YANG, SHASHA YAN,
DONGMEI HUANG – CHINA





泰山学术论坛
Taishan Academic Forum

MINING
2014

**Taishan Academic Forum – Project on Mine
Disaster Prevention and Control**

**October 17–20, 2014
Qingdao, China**

***Theme:* Chinese Coal in the XXI Century:
Mining, Green and Safety**

Edited by:

Weijia Guo, China
Yunliang Tan, China
Yongjie Yang, China
Shasha Yan, China
Dongmei Huang, China



ATLANTIS PRESS
AMSTERDAM – PARIS – BEIJING

Advances in Engineering Research
(ISSN 2352-5401)

The proceedings series *Advances in Engineering Research* (ACSR) aims at publishing proceedings from conferences on the theories and methods in fields of engineering applied to multiple areas, including:

- aerospace engineering
- biological engineering
- civil engineering
- chemical engineering
- electrical engineering
- financial engineering
- industrial engineering
- material engineering
- mechanical engineering
- nanotechnology
- petroleum engineering
- textile engineering

© ATLANTIS PRESS, 2014
www.atlantis-press.com

ISBN: 978-94-62520-28-8

This book is published by Atlantis Press, scientific publishing, Paris, France.

All rights reserved. No part of this book may be reproduced, translated, stored or transmitted in any form or by any means, including electronic, mechanical, photocopying, recording or otherwise, without prior permission from the publisher.

Taishan Academic Forum – Project on Mine Disaster Prevention and Control

October 17–20, 2014
Qingdao, China

Theme: Chinese Coal in the XXI Century: Mining, Green and Safety

Hosted by:

- Education Department of Shandong Province, China
- Shandong University of Science and Technology, China
- Shandong Administration of Coal Industry, China

Edited by:

- Weijia Guo, China
- Yunliang Tan, China
- Yongjie Yang, China
- Shasha Yan, China
- Dongmei Huang, China

Sponsored by:

- Institute of mining and safety engineering, Shandong University of Science and Technology, China
- State Key Laboratory of mine disaster prevention and control, Shandong University of Science and Technology, China

Organizers:

- Education Department of Shandong Province
- Shandong University of Science and Technology, China
- Shandong Administration of Coal Industry, China

Co-organizers:

- Institute of mining and safety engineering, Shandong University of Science and Technology, China
- Control state key experimental cultivation base of mine disaster prevention, Shandong University of Science and Technology, China

Foreword

Mining technology is an important issue on resource exploitation, which is related to mine production security and energy supply. In order to promote the scientific and technological progress and international exchanges of the mining technology, the Taishan Academic Forum – Project on Mine Disaster Prevention and Control is to be held on Oct. 17-20, 2014, in Qingdao, China. The aim of the symposium is to summarize the modern coal industry achievements, in safety green mining methods and the related fields. There will be experts and scholars to attend the meeting, from the coal industry enterprises, universities, research institutions and other related fields of China and Russia.

The main topics of the symposium include: safety green mining methods, mine construction and modernization, the mining theories, methods and technology, the construction safety of mining and underground engineering, the operation and management of mining and underground engineering, etc.

The symposium is organized by the Education Department of Shandong Province, Shandong University of Science and Technology, Coal Industry Bureau of Shandong Province. It is undertaken by Institute of Mining and Safety Engineering, Shandong University of Science and Technology and State Key Laboratory of Mine Disaster Prevention and Control.

We are convinced that the symposium is going to play an important role in the development of the coal mining technology and international communication. Heartfelt thanks are extended to domestic and overseas scholars who have given great supports to this conference and all the authors who have presented the papers.

Weijia Guo, China
Yunliang Tan, China
Yongjie Yang, China
Shasha Yan, China
Dongmei Huang, China

Contents

Part I. Mine construction and modernization

1.	Selection of a rational form for the steel winding tower as a preventive measure to increase its industrial safety <i>Elena G. Kassikhina., Vladimir V. Pershin, Nikita O. Butrim, Weiguo Qiao</i>	1
2.	Engineering and process design solutions for the vertical shaft completion <i>Weiguo Qiao, V.V. Pershin, E.G. Kassikhina, N.O. Butrim</i>	5
3.	Study on construction of embedded bolt sleeve's precision in massive concrete <i>Chongge Wang, Jiachuan Liu</i>	11
4.	Economic and technological criteria of choosing the support for construction of mine workings <i>Song Weijie, V.V. Pershin, Yu. A. Masaev, V. Yu. Masaev, Weiguo Qiao</i>	15
5.	Constructions parameters updating of protecting apron under deepening of vertical shafts <i>Vladimir V. Pershin, Aleksandr I. Kopyitov, Mikhail D. Voitov, Akhmed A. Wetti, Ivan V. Zhuk</i>	21

Part II. Mining theory, method and technology

6.	Highwall mining stability <i>Baotang Shen</i>	25
7.	Study on the movement law of overburden strata during mining strip pillar with paste <i>Guo Weijia , Li Yangyang, Zhang Baoliang, Wang hailong, Sun xizhen</i>	38
8.	Numerical simulation study on influencing factors to part-filling pillars' stability <i>Wanpeng Huang, Yanghui Ren, Lin Gao</i>	44
9.	Research on strip filling surface subsidence rule <i>Shi Yongkui, QI Minhua, Zhang Jingyu, Hao Jian</i>	52
10.	Characteristic analysis of surface subsidence in deep mining <i>Chang Xikun, Wang Rongfa , Zang Jincheng</i>	62
11.	Mechanical models and support technologies for retaining gob-side entry <i>Yunliang Tan, Yanchun Yin, Jianguo Ning, Tongbin Zhao</i>	67

12. Influence of mining and retaining parameters on evolution of hazard rockburst in strip-pillar mining <i>Wang Chunqiu, Li Wenshuai, Gu Shitan, Ma Chuanle, Xiao Zhimin</i>	73
13. The application of fuzzy analytic hierarchy processfor thick coal seam mining methods in China <i>Wang Lei, Yang Yang, Cheng Huimin</i>	84
14. Simulation study of dynamic response of bolt support in impact roadway <i>Liu Fan, Liu Wenjie, Wang Tongxu</i>	93
15. Rapid heading technology of coal seam contained iron sulfide nodules <i>Xinglin Wen, Mengmeng Dong, Ran Fan, Kai Sun, Zhongjian Zhang</i>	99
16. Simulation and analysis on characteristics of lower-group roadway surrounding rock under deep near interval coal seam <i>Zhang Peisen, Wang Hao, Lin Dongcai, Kan Zhongui</i>	107
17. Study on grouting anchor cable supporting technology of roadway through extra large fault fracture zone <i>Liu Jin-xiao, Jing Ji-dong, Feng Yi-yu, Wu Lei, Zhang Pei-sen</i>	114
18. Study on optimal design of concrete-filled steel tube support in coal mine <i>Liu Limin, Zhao Shijun, Cao Junzhi, Qin Zhongcheng</i>	119
19. Measurement and analysis on failure height of overburden strata of mechanized sublevel caving in shallow region of Baodian coal mine <i>Li Fuchen, Zhang Wenquan, Guo Wei, Wang Zongsheng, Li Yunjiang, Liu Yanxin</i>	126
20. Study on the rapid excavation technology of deep large cross-section rock tunnel <i>Liu Xinjie, Kong Dezhong, Song Gaofeng</i>	133
21. Large deformation control principle and reinforcement technique for solid coal rib of large-section gob-side tailentry in thick coal seam buried deeply <i>Zang Chuanwei, Chen Miao, Tan Yunliang, Ma Chuanle, Meng Xiangjun</i>	138
22. Durability test of gangue paste filling material <i>Liu Yin, Wang Qifeng, Zhang Haoqiang</i>	144
23. Coal deposits' mining with high content of natural radionuclide <i>Pavel B. Avdeev, Galina P. Sidorova</i>	150
24. Advanced technology based on new technological and organizational principles of spatial development of front of mining operations at open pits <i>Alexei V. Selukov</i>	156

25. Fractal characteristics of mudstone microscopic morphology in MATLAB environment
Huang Dongmei, Zhang Zhenquan, Lin Xiaofei, Li Huaxue, 161

Part III. Mining equipment and machinery

26. Modeling of hydraulic power cylinder seal assembly operation
Gennady D. Buyalich, Konstantin G. Buyalich, 167
27. Formation Auger equipment reliability
Yuri V. Drozdenko, 171
28. Stress-deformed state knots fastening of a disk tool on the crowns of roadheaders
Aleksey Khoreshok, Leonid Mametyev, Andrey Borisov, Aleksey Vorobiev, 177
29. Preventive maintenance of mining equipment based on identification of its actual technical state
Vladimir Kovalev, Boris Gerike, Aleksey Khoreshok, Pavel Gerike, 184
30. Evaluation of explosion protection means of mine electrical equipment for operation in excavations of coal mines
Vladimir Efremenko, Roman Belyaevsky, 190

Part IV. Construction safety in mines and underground engineering

31. Study of asymmetric failure law and support for large embedded depth roadway driving along the roof in inclined coal seam
Cheng Guoqiang, Yan Mingju, Zhu Hongli, Yu Haifeng, 195
32. Analysis on human safety behavior mode during the production process
Zhou Gang, Xue Jiao, Wang Hao, Zhang Qi, 203
33. Control design of roof rock for advance blasting in roof on gob-side entry without roadside support
Zhang Kai-zhi, Liu Bao-cheng, 211
34. Drilling strata movement detection experiment on failure law of overlying strata movement
Shijian Yu, Zhaobin Liu, 218
35. Research of mining depth influence on floor coupled stree-seepage characteristics
Yin Liming, Shi Nan, Chen Juntao, 224
36. Rock burst danger warning and large diameter drilling pressure-relief technology in fully mechanized caving island coal face
Gu Shitan, Huang Ruifeng, Tan Yunliang, Jiang Bangyou, Li Wenshuai, 231

37. Numerical simulation of stress relieving and analysis of influencing factors on geostress measurement <i>Zhao Tongbin, Zhang Minglu, Li Zhanhai, Zhang Ze</i>	241
38. Numerical simulation of roadway gas migration based on the lattice Boltzmann method <i>Zhao Zhi-gang, Zhang Yong-bo, Tan Yun-liang</i>	248
39. Research status of wet duster in fully mechanized workface <i>Zhong Yang, Wu Meng-meng, Yang Xin-xiang, Xiao Wei</i>	258
40. Development and application of integrative jumbo for deep hole sampling <i>Wang Gang, Yang Xin-xiang, XiaoWei, Wu Meng-meng</i>	273
41. Analysis on the old gob water inrush accident of Kunlun mine in Zibo <i>Jiang Hua, Gai Wenren, Zhao Fu, Zhang Xin, Liu Hailin</i>	282
42. Risk assessment of floor water inrush in deep mine based on grey system theory <i>Liu Weitao, Pan Xiaofeng, Liu Huan, Shen Jianjun</i>	288
43. The water-disaster characteristic of coal mine in Shandong province and the research on prevention and control countermeasures <i>Zhang Wenquan, Ren Zhongping, Jiang Hua, Sun Gaoliang, Hang Qianqian, Dong Yi</i>	294
44. Determination of rational coal and rock pillars height of coal mining under the loose aquifer <i>Wang Jianhu, Shao Mingxi, Shang Yanfeng, Cao Siwen, Zhang Xin, Hu Chuanmeng</i>	306
45. Research on water resistance of the hanging wall of the fault tilting water-resisting key strata model <i>Wang Yuhe, Zhang Xinglei, Wang Houchen, Cheng Jiulong, Guo Wei</i>	312
46. Study on test method of rock acoustic emission and damage evolution characteristics under triaxial compression <i>Yang Yongjie, Ma Depeng, He Yanxin, Xing Luyi</i>	321
47. Research advances of heterogeneity representation methods for rocks <i>Yanchun Yin, Yunliang Tan, Weiyao Guo, Minglu Zhang</i>	327
48. The numerical simulation of the influence from fault dip angle on coalface pressure <i>Zhang Li, Xia Junfeng, Zang Chuanwei</i>	333
49. The research and application of the hard roofs forced caving technology in short wall stopes <i>Gao Min, Wei Jiuchuan, Ma Xiaoqi</i>	339

50. To the question of the destructed rock mass movements regime assessment <i>Victor S. Kharkovskyi, Valery M. Plotnikov, Eugenia V. Komleva, Olessya A. Kogay, Anna S. Korobkina, Anne V. Harlamova, Yuri N. Goncharov, BekturKh. Balikbayev</i>	345
51. Simulation of stress-strain state of the reinforced soil foundation for structures <i>Sergei M. Prostov, Mikhail V. Sokolov</i>	350
52. Inert compositions for underground fire fighting in mines <i>Vyacheslav Portola, Nima Galsanov</i>	356
53. Modeling peculiarities of reinforced crack of hydraulic fracture of coal seams for estimation of their permeability <i>Mihail Alekseevich Baev</i>	361
Part V. Mines, underground engineering operation and management	
54. Application of safety check list on confidential inspection <i>Chen Hai-yan, Gao Jian-guang, Xu Yun-fei</i>	367
55. Coal mine safety influence factors causality analysis and function relationship construction based on system dynamics <i>Chen Jing, Yang Yongjie, Cao Qinggui</i>	375
56. Research and application of heat exchange system in Sun village coal mine <i>Li Xinghua, Xiao Bin, Zhang Limei</i>	381
57. Research of safety pre-control management system of power plants <i>Li Xinghua, Wang Suli</i>	387
58. Study on early warning method of coal mine accident about ventilation, gas, dust and fire <i>Lin Xiaofei, Song Shouxin, Huang dongmei</i>	392
59. The influence of coal mining on groundwater resources and the analysis of water resources protection countermeasure <i>Zhang Hongri, Sheng Yuanyuan, Zhang Guibin, Dong Shizhuo, Liu Yu</i>	398
60. The transport systems of simulation and optimization of Dingfeng's slime and gangue power plant <i>Li Xinghua, Wang Danying</i>	406
61. Rare earth elements in Kuznetsk coals: ability to excavate and new functional materials <i>Tatyana G. Cherkasova, Elizaveta V. Cherkasova, Elza S. Tatarinova, Alena A. Bobrovnikova, Irina P. Goryunova, Yuliya A. Mihaylenko, Anastasia V. Tihomirova, Irina V. Isakova</i>	418

62. The main characteristics of freight on hot streams <i>Natalya V. Erofeeva, Irina N. Chebotova</i>	421
63. Study of the process of the polymer flocculants degradation used for coal processing <i>Sergey D. Evmenov, Galina L. Evmenova</i>	424
64. Safety of mining engineering buildings and facilities under Fem analysis and catastrophe theory <i>Vladimir Viktorovich Pershin, Dmitriy Ivanovich Nazarov</i>	428
65. Physical basis of the controlled electrochemical treatment of soils from oil products <i>Sergey M. Prostov, Maxim B. Gucal, Evgeniy F. Shabanov</i>	433
66. Justification complex purification technology open-pit mines wastewater <i>M.A. Tyulenev, Y.V. Lesin</i>	441
67. Solid fuel obtaining by processing of coal enterprises technogenic materials <i>Andrey G. Ushakov, Elena S. Ushakova, Gennady V. Ushakov</i>	445
68. Experience for coal mine methane utilization to generate thermal and electric power <i>Oleg V. Tailakov, Denis. N. Zastrelov, Evgeniy A. Utkaev, Alexey I. Smyslov, Alexey N. Kormin</i>	450
69. Study on the dissipation mechanism of shock and vibration energy in a stress release area of deep roadway <i>Jianguo Ning, Jun Wang, Xuesheng Liu, Yunliang Tan</i>	454