

PAPER • OPEN ACCESS

Radial deformations of working cylinder of hydraulic Legs depending on their extension

To cite this article: G D Buyalich *et al* 2015 *IOP Conf. Ser.: Mater. Sci. Eng.* **91** 012087

View the [article online](#) for updates and enhancements.

You may also like

- [Parameters estimation of hydraulic power take-off system for wave energy conversion system using genetic algorithm](#)
M. A. Jusoh, M. Z. Ibrahim, M. Z. Daud et al.

- [26th IAHR Symposium on Hydraulic Machinery and Systems](#)
Yulin Wu, Zhengwei Wang, Shuhong Liu et al.

- [Non-destructive testing principles and accurate evaluation of the hydraulic measure impact range using the DC method](#)
Liming Qiu, Rongxi Shen, Dazhao Song et al.

The advertisement features a green background on the left with the ECS logo and text. The right side has a dark teal background with white text and a close-up image of a scientist's face.

ECS
The
Electrochemical
Society
Advancing solid state &
electrochemical science & technology

DISCOVER
how sustainability
intersects with
electrochemistry & solid
state science research

Radial deformations of working cylinder of hydraulic Legs depending on their extension

G D Buyalich ^{1,2,3,a}, K G Buyalich ^{1,b}, V V Voyevodin ^{1,c}

¹ T.F. Gorbachev Kuzbass State Technical University, Vesennaya Str., 28, Kemerovo, 650000, Russia

² Yurga Institute of Technology of Tomsk Polytechnic University, Leningradskaya Str., 26, Yurga, 652055, Russia

³ Institute of Coal of SB RAS, Leningradskiy Ave., 10, Kemerovo, 650060, Russia

e-mail: ^agdb@kuzstu.ru, ^bkonstantin42@mail.ru, ^cvvoevodin@yandex.ru

Abstract. Current methods of calculation of parameters of hydraulic legs of powered supports are in most cases analytical and do not consider all complex of factors. Finite element model was developed to study this problem and used to analyze the influence of hydraulic legs extension on radial deformations of cylinder of different producers of powered supports at variation of hydraulic fluid pressure. It was revealed that radial deformations of cylinders along the axis of hydraulic legs increase in magnitude in direct proportion to the hydraulic fluid pressure and extension. Research results can be recommended to define optimal geometric parameters of hydraulic legs in respect to the minimal radial deformations of hydraulic cylinder increasing its impermeability and improving the work of cup seals. It is recommended to use the obtained results at power support designing.

Introduction

Hydraulic leg is a hydraulic power cylinder. Its impermeability is determined by the size of the gap between the piston and the cylinder bridged by the seal. Numerical value of the gap includes two components:

- 1) tolerance for production of piston and cylinder (constant component), which determines minimal Z_{\min} and maximal Z_{\max} gaps during assemblage;
- 2) radial deformations of interior surface of cylinder (dR) under the hydraulic liquid pressure (variable component), which depend on the value of this pressure (P), production technique [1–4], support construction [5], hydraulic leg construction [6–8] and their hydraulic extension (l_p).

Methods

To calculate radial deformations finite element method was used as it is one of modern computational approaches allowing to carry out calculations with high accuracy and speed for constructions with complicated configuration using computer aids.

Work Description.

Finite element model was developed for research of the influence of hydraulic leg parameters on their strained state.



Content from this work may be used under the terms of the [Creative Commons Attribution 3.0 licence](#). Any further distribution of this work must maintain attribution to the author(s) and the title of the work, journal citation and DOI.

Recent researches of radial deformations of the working cylinder [6, 7] show that the curve represented in figure 1 has an expanding section from the side of the head end and a convergent section from the side of the rod end. To point locations of radial deformations along the length of the cylinder during comparative calculations the following key points were used:

point 1 – has maximal radial deformations near the piston (at this point radial deformations are equal to dR_1);

point 2 – is situated in the areas of stable radial deformations in the cylinder main body (dR_2);

point 3 – has negative radial deformations (compression of the cylinder) in the limits of the piston location (dR_3). At this point the contact between the cylinder and the piston and the damage of the working cylinder surface are possible at large strain;

point 4 – is situated in the place of the first seal from the side of the head end. Radial deformations at this point (dR_4) are determined by the sealed gap which influences the work of seal and impermeability of hydraulic leg;

point 5 – is situated in the point of maximal radial deformations near the bottom of hydraulic cylinder (dR_5).




Figure 1. Radial Deformations of the Working Cylinder of Hydraulic Leg (dR) Along the Length of the Working Cylinder (l_c) and Location of Key Points

Radial deformations of working cylinders of hydraulic legs of powered supports at extensions equal to $l_p = (2/3)l_p^{max}$ and $l_p = l_p^{max}$ (fig. 2 and 3) were calculated using the model. It follows from this that extension does not influence the character of deformation curves especially in the piston area. At

that, variation of radial deformations in the location of the first seal from the side of the head end (dR_4) owing to the pressure of hydraulic liquid in the head end (P) has linear character at different values of extension (fig.4).




Figure 2. Radial Deformations Along the Length of the Working Cylinder of Hydraulic Legs of Powered Supports at Extension $l_p=(2/3)l_p^{max}$ and $P=50\text{ MPa}$




Figure 3. Radial Deformations Along the Length of the Working Cylinder of Hydraulic Legs of Powered Supports at Extension $l_p=l_p^{max}$ and $P=50\text{ MPa}$

Numerical values of radial deformations for hydraulic legs at extension $l_p=(2/3)l_p^{max}$ and $l_p=l_p^{max}$ and pressure P are given in Table 1. Hence it follows that the leg of support M142 has minimal absolute values at extension $l_p=(2/3)l_p^{max}$ and pressure 32MPa, 50 MPa and 70 MPa. At maximal extension l_p^{max} we observe another situation: hydraulic leg Joy has minimal deformations dR_4 at pressure of initial thrust $P=32\text{ MPa}$ whereas hydraulic leg OKP70 has it at pressure close to nominal ($P=50\text{ MPa}$) and sesquialteral ($P=70\text{ MPa}$). With increase of extension we observe the increase of radial deformations dR_4 . It can be explained by the rise of total load on the cylinder wall from hydraulic liquid pressure. As a result of this phenomenon absolute values of constringent radial deformations in the piston area (dR_3) also increase by absolute value.




Figure 4. Variation of Radial Deformations (dR_4) of Hydraulic Legs of Powered Supports Due to the Hydraulic Liquid Pressure (P) at Extensions (l_p)

Numerical values of radial deformations of hydraulic leg M138 at the point situated in the limits of piston area (dR_3) are two times less than these of the rest (table 2), as this leg has minimal length of piston (75mm) and maximal value of constringent deformations is beyond its limits. Thus, for example, for this leg deformations in the piston area $dR_3 = -0,0000214$ mm at $P=50$ MPa and $l_p=(2/3)l_p^{\max}$ whereas minimum value of these deformations is $-0,00410$ mm. The length of piston of the rest of legs is 90 mm (table 2) and minimum values of radial deformations dR_3 are situated in piston area.

Table 1.

Numerical Values of Radial Deformations in the Seal Area (at point 4) at Extension l_p and hydraulic liquid pressure P

Powered Support	Radial Deformations (dR_4), mm					
	$P=32$ MPa		$P=50$ MPa		$P=70$ MPa	
	$l_p=(2/3)l_p^{\max}$	$l_p=l_p^{\max}$	$l_p=(2/3)l_p^{\max}$	$l_p=l_p^{\max}$	$l_p=(2/3)l_p^{\max}$	$l_p=l_p^{\max}$
OKП70	0,042	0,045	0,064	0,066	0,092	0,095
M130	0,045	0,047	0,066	0,069	0,093	0,097
M138	0,045	0,051	0,063	0,080	0,088	0,112
M142	0,040	0,047	0,062	0,073	0,087	0,102
M145	0,049	0,044	0,081	0,069	0,114	0,097
JOY	0,042	0,043	0,066	0,068	0,099	0,102
Glinik	0,088	0,095	0,138	0,150	0,193	0,220

Table 2.

Numerical Values of Parameters and Radial Deformations of Hydraulic Legs of Powered Supports at $P=50$ MPa

Параметр	OKP70	1M130	M138	M142	M145	Joy	Glinik
Diameter of the cylinder, mm	220	200	220	220	250	350	280
Thickness of the cylinder wall, mm	26,5	22,5	27,5	27	24,5	65	20
Length of the piston, mm	95	95	75	92	108	296	90
Z_{\min} , mm	0,05	0,05	0,05	0,05	0,05	0,062	0,056
Z_{\max} , mm	0,28	0,28	0,28	0,28	0,28	0,342	0,316
$l_p=(2/3)l_p^{\max}$							
dR_4 , mm	0,064	0,066	0,063	0,062	0,081	0,066	0,138
dR_3 , mm	-0,00262	-0,00286	-0,0000214	-0,00233	-0,00510	-0,00440	-0,00643
$l_p=l_p^{\max}$							
dR_4 , mm	0,066	0,069	0,08	0,073	0,069	0,068	0,15
dR_3 , mm	-0,00385	-0,00402	-0,00224	-0,00242	-0,0053	-0,00548	-0,00961

Variation of radial deformations (dR_3 and dR_4) at extension alteration from $l_p=(2/3)l_p^{\max}$ to $l_p=l_p^{\max}$ (change of relative extension l_p/l_p^{\max} from 2/3 to 1) is shown in Figure 5.

The leg M138 is exposed to maximal variations of constringent radial deformations dR_3 due to small piston length. The change of dR_3 by 40–50 % corresponds to legs OKP70, 1M130 and Glinik. Variations of hydraulic leg Joy make up 25 % and these of legs M142 and M145 – near 4 %.




Figure 5. Variation of Radial Deformations (dR_3 and dR_4) Due to Relative Extension (l_p/l_p^{\max})

Radial deformations in seal area (dR_4) at $l_p=l_p^{max}$ increase: for hydraulic leg M138 – at initial thrust pressure (32 MPa) by 13 %, approximately, and at high pressure (50 and 70 MPa) – by 27 %, approximately; for hydraulic leg M142- by 17,5 % over all pressure range; for the rest of hydraulic legs over working range of pressure – from 2,5 to 8 %.

For hydraulic leg M145 radial deformations (dR_4) at $l_p=l_p^{max}$ decrease by 10–15 % at different hydraulic liquid pressure.

Conclusions. Realized researches allow to conclude that with increase of hydraulic leg extension the gap between the piston and the cylinder increases in the area of the first seal from the side of the head end ($+dR_4$) and decreases from the side of the rod end in the limits of the piston (dR_3).

References

- [1] Chinakhov D A A V Vorobyov A A Davydov and A A Tomchik 2012 Simulation of active shielding gas impact on heat distribution in the weld zone of consumable electrode welding *In the Proceedings of the 7th International Forum on Strategic Technology IFOST2012 Tomsk Polytechnic University Vol II* pp: 136–138
- [2] Chinakhov D A 2011 Study of Thermal Cycle and Cooling Rate of Steel 30ХГСА Single-Pass Weld Joints *Applied Mechanics and Materials* Vol 52–54 pp: 442–447
- [3] Chinakhov D A 2013 Simulation of Active Shielding Gas Impact on Heat Distribution in the Weld Zone *Applied Mechanics and Materials* Vol 762 pp: 717–721
- [4] Kogan B I G D Buyalich and K G Buyalich 2012 Technological support of reliability of cylinders of hydroracks of powered *support Assembling in Mechanical Engineering and Instrument-Making* #10 pp: 29–31
- [5] Buyalich G D B A Aleksandrov Yu A Antonov and V V Voyevodin 2000 Increasing the Resistance of Powered Support Brackets *Journal of Mining Science* Vol 36 # 5 pp: 487–492
- [6] Burkov P V A V Vorobiev and A V Anuchin 2011 Analysis of Stress Concentrators and Improvement in Designs of Hydraulic Legs *Mining Informational and analytical Bulletin (scientific and technical journal) Separate issue* # 2 pp: 172–183
- [7] Klishin V I 1995 Inertial means of protecting hydraulic props from dynamic loads *Journal of Mining Science* Vol 30 # pp: 390–394
- [8] Klishin V I T M Tarasik 2001 Stand tests of hygraulic supports with respect to dynamic loads *Journal of Mining Science* Vol 37 # 1 pp: 77–84



Journals ▾ Books Publishing Support Login ▾

Table of contents

Volume 91

2015

← Previous issue Next issue →

VI International Scientific Practical Conference on Innovative Technologies and Economics in Engineering 21–23 May 2015, Yurga, Russia

Accepted papers received: 28 July 2015

Published online: 14 September 2015

[Open all abstracts](#)

Preface

OPEN ACCESS

011001

VI International Scientific Practical Conference on Innovative Technologies and Economics in Engineering

Dmitry A Chinakhov

 [View article](#)

 [PDF](#)

OPEN ACCESS

011002

Peer review statement

 [View article](#)

 [PDF](#)

Papers

Topic 1: Innovative technologies for producing and testing permanent joints in mechanical engineering

OPEN ACCESS

012001

Nickel and titanium nanoboride composite coating

K A Efimova, G V Galevsky, V V Rudneva, N A Kozyrev and E G Orshanskaya

 [View article](#)

 [PDF](#)

OPEN ACCESS

012002

Synthesis and properties of nanoscale titanium boride

K A Efimova, G V Galevskiy and V V Rudneva



[View article](#)[!\[\]\(0cc5c4c18dd72a91e21b90220aef9c5d_img.jpg\) PDF](#)**OPEN ACCESS**

012003

Silicon nano-carbide in strengthening and ceramic technologies

V V Rudneva, G V Galevsky and N A Kozyrev

[View article](#)[!\[\]\(735ceeed4e566aa93749bb6365185b00_img.jpg\) PDF](#)**OPEN ACCESS**

012004

Peculiarities of Production of Chromium Carbonitride Nanopowder and Its Physical-Chemical Certification

L S Shiryaeva, I V Nozdrin and G V Galevsky

[View article](#)[!\[\]\(b52923ac887f6b630066a7f81d758df3_img.jpg\) PDF](#)**OPEN ACCESS**

012005

Conceptual model of resource assessment of fuel and energy complex long working equipment on the basis of structural criteria

A N Smirnov and N V Ababkov

[View article](#)[!\[\]\(e1b16c13bcd52dc325631a487504acd8_img.jpg\) PDF](#)**OPEN ACCESS**

012006

Physical Nature of the Processes in Forming Structures, Phase and Chemical Compositions of Medium-Carbon Steel Welds

D P Il'yaschenko, D A Chinakhov, V I Danilov, G V Schlyakhova and Yu M Gotovshchik

[View article](#)[!\[\]\(91ad81c735a2e4c2920e2c94e71507da_img.jpg\) PDF](#)**OPEN ACCESS**

012007

Increasing Strength and Operational Reliability of Fixed Joints of Tubes by MMA Welding

D P Il'yaschenko, D A Chinakhov, V I Danilov, G V Schlyakhova and Y M Gotovschik

[View article](#)[!\[\]\(1831f61c1e273490ae81d3dd8504777e_img.jpg\) PDF](#)**OPEN ACCESS**

012008

New Tendencies in Development of Carbonaceous Additives for Welding Fluxes

N A Kozyrev, R E Kryukov and O A Kozyreva

[View article](#)[!\[\]\(d019196a5da9defdcacd08615e761fe3_img.jpg\) PDF](#)**OPEN ACCESS**

012009

Surfacing With Tungsten-containing Ores

N A Kozyrev, G V Galevsky, D V Valuev, V M Shurupov and O E Kozyreva

[View article](#)[!\[\]\(5ecd0a8be72909e00a43c3de93c00f44_img.jpg\) PDF](#)**OPEN ACCESS**

012010

Corrosion and Mechanical Properties of Austenitic Steel Weld Joints

M A Kuznetsov, E A Zernin, V I Danilov, D E Kolmogorov and L N Zoubenko

[View article](#)[!\[\]\(65e8f8322c024ac6fcf86b65a793ebdd_img.jpg\) PDF](#)**OPEN ACCESS**

012011

Influence of Frequency and Induction of Longitudinal Magnetic Field on The Electrode Metal Loss and its Spattering During MAG-Welding

D G Nosov and V V Peremitko

[View article](#)[!\[\]\(c2b822cc4b4175583c9e9f364bcce273_img.jpg\) PDF](#)**OPEN ACCESS**

012012

Influence of Protective Gas Content on Quality of Welded Joint While Welding With Impulse Supply of Electrode Wire

N V Pavlov, A V Kryukov, E A Zernin and V V Gritsenko

[View article](#)[!\[\]\(a6d218fda85459cf4be8bc85de67752f_img.jpg\) PDF](#)**OPEN ACCESS**

012013

Development of New Materials and Technologies for Welding and Surfacing at Research and Production Center "Welding Processes and Technologies"

N A Kozyrev, R E Kryukov, G V Galevsky, D A Titov and V M Shurupov

[View article](#)[!\[\]\(6f46288fd6d1962f166b8f00d402bb41_img.jpg\) PDF](#)**OPEN ACCESS**

012014

Effect of Heat Input Pulse on the Structure and Properties of Welded Joints of Steels Ferritic-Pearlitic Class, Operating Under Low-Frequency Temperature-Force Loading

Y N Saraev, V P Bezborodov and E A Putilova

[View article](#)[!\[\]\(e672be77af9ab05d65978f3f2e7a4972_img.jpg\) PDF](#)**OPEN ACCESS**

012015

X-Ray Structural Study of 09Nn2Si Steel Welded Joints

N I Golikov, A A Platonov and Y N Saraev

[View article](#)[!\[\]\(b00db166fefea8ea083711c9d1d95071_img.jpg\) PDF](#)**OPEN ACCESS**

012016

Some Aspects of Oxidation-Reduction Reactions under Carbon-Bearing Flux Welding

R E Kryukov, N A Kozyrev, G V Galevsky, Y V Bendre, V F Goryushkin and D V Valuev

 View article  PDF

OPEN ACCESS

012017

Titanium Carbide: Nanotechnology, Properties, Application

G V Galevsky, V V Rudneva, A K Garbuzova and D V Valuev

 View article  PDF

OPEN ACCESS

012018

Possibilities of Application of Carbon-Fluorine Containing Additions in Submerged-Arc Welding

N A Kozyrev, N E Kryukov, R E Kryukov, V F Igushev and I I Kovalskii

 View article  PDF

OPEN ACCESS

012019

A New the Chnology for Producing Carbide Alloys With Gradient Structure

T N Oskolkova

 View article  PDF

OPEN ACCESS

012020

Wear Resistant Coating on Tungsten Carbide Hard Alloy

T N Oskolkova

 View article  PDF

OPEN ACCESS

012021

Systems to Control Molten Metal Transfer in Arc Welding

A V Filonov, A V Kryukov and D E Gusarov

 View article  PDF

OPEN ACCESS

012022

Study of the Effect of Shrinkage Porosity on Strength Low Carbon Cast Steel

E Ol'khovik

 View article  PDF

OPEN ACCESS

012023

Prospects for Establishment of Technological Complexes in Machine Building Industry on The Basis of Electromechatronic Propulsion Systems

Yu M Osipov, O Yu Osipov and V A Trifonov

[View article](#)[PDF](#)

Topic 2: Innovative technologies for producing and machining materials in mechanical engineering**OPEN ACCESS**

012024

Patterns of folded structure formation in the maximum bending zone of [111] FCC single crystals

E A Alfyorova, D V Lychagin and A A Popov

[View article](#)[PDF](#)

OPEN ACCESS

012025

Preferred Orientation Evolution of Olivine Grains as an Indicator of Change in the Deformation Mechanism

D V Lychagin, P A Tishin, A S Kulkov, A I Chernyshov and E A Alfyorova

[View article](#)[PDF](#)

OPEN ACCESS

012026

Methods of noninvasive electrophysiological heart examination basing on solution of inverse problem of electrocardiography

M Grigoriev and L Babich

[View article](#)[PDF](#)

OPEN ACCESS

012027

Results of research on causes of the defects of laser marking articles

V V Markov, L I Lebedeva and N V Kanatnikov

[View article](#)[PDF](#)

OPEN ACCESS

012028

Thermocapillary model of formation of surface nanostructure in metals at electron beam treatment

V D Sarychev, S A Nevskii, S V Konovalov, I A Komissarova and E V Chermushkina

[View article](#)[PDF](#)

OPEN ACCESS

012029

Fatigue life of silumin irradiated by high intensity pulsed electron beam

S V Konovalov, K V Alsaraeva, V E Gromov and Yu F Ivanov

[View article](#)[PDF](#)

OPEN ACCESS

OPEN ACCESS

012030

Investigation of defect copper substructure disrupted in creep condition under the action of magnetic field

S V Konovalov, N G Yaropolova, D V Zagulyiaev, V E Gromov, Yu F Ivanov and I A Komissarova

[View article](#)[PDF](#)

OPEN ACCESS

012031

Influence of layer-by-layer laser sintering conditions on the quality of sintered surface layer of products

N A Saprykina, A A Saprykin, I F Borovikov and Y P Sharkeev

[View article](#)[PDF](#)

OPEN ACCESS

012032

Reduction of longitudinal ultrasonic oscillations in NaClO₃ crystals

E G Soboleva, A L Igisheva and T B Krit

[View article](#)[PDF](#)

OPEN ACCESS

012033

Estimation of Temperature Conductivity Coefficient Impact upon Fatigue Damage of Material

V Bibik and A Galeeva

[View article](#)[PDF](#)

OPEN ACCESS

012034

Simulation of thermal fields using different types of wide burnishing

N M Bobrovskij, P A Melnikov, S N Grigoriev and I N Bobrovskij

[View article](#)[PDF](#)

OPEN ACCESS

012035

Aspects of thermal field by wide burnishing

N M Bobrovskij, P A Melnikov, S N Grigoriev and I N Bobrovskij

[View article](#)[PDF](#)

OPEN ACCESS

012036

Influence of Cooling Rate in High-Temperature Area on Hardening of Deposited High-Cutting Chrome-Tungsten Metal

N N Malushin, D V Valuev, A V Valueva, A Serikbol and I F Borovikov

[View article](#)[PDF](#)

OPEN ACCESS

012037

Oxidation Processes in Blowing Steel With Inert Gas into the Ladle

R A Gizatulin, D V Valuev, V A Trifonov, A V Valueva and A Serikbol

[View article](#)[PDF](#)**OPEN ACCESS**

012038

Extraction of Chromium from Carbon Ferrochromium Residual Wastes

P P Lazarevskiy, R A Gizatulin, Yu E Romanenko, D V Valuev, A V Valueva and A Serikbol

[View article](#)[PDF](#)**OPEN ACCESS**

012039

Optimizing Technological Parameters of the Reduction Processes in Treating Steels in a Ladle Furnace

R A Gizatulin, D V Valuev, A V Valueva, A Serikbol and I F Borovikov

[View article](#)[PDF](#)**OPEN ACCESS**

012040

Ultrasonic Surface Treatment of Titanium Alloys. The Submicrocrystalline State

V A Klimenov, V A Vlasov, V Y Borozna and A A Klopotov

[View article](#)[PDF](#)**OPEN ACCESS**

012041

Forecasting of operational indicators of grinding tools with the controlled form and orientation of abrasive grains

V A Korotkov and E M Minkin

[View article](#)[PDF](#)**OPEN ACCESS**

012042

Entering the operative correction machining processes CNC

R Yu Nekrasov, A I Starikov and A A Lasukov

[View article](#)[PDF](#)**OPEN ACCESS**

012043

Reliability Modelling while Designing and Improving Working Members of Agricultural Implements

V I Myalenko

[View article](#)[PDF](#)

OPEN ACCESS

012044

Manganese concentrate usage in steelmaking

O I Nokhrina and I D Rozhikhina

[View article](#)[PDF](#)

OPEN ACCESS

012045

The use of coal in a solid phase reduction of iron oxide

O I Nokhrina, I D Rozhikhina and I E Hodosov

[View article](#)[PDF](#)

OPEN ACCESS

012046

Processing of energy materials in electromagnetic field

A P Rodzevich, L V Kuzmina, E G Gazenaur and V I Krasheninin

[View article](#)[PDF](#)

OPEN ACCESS

012047

Cutting capacity and strength of single grinding grains

V S Lyukshin, A V Barsuk and R R Fazleev

[View article](#)[PDF](#)

OPEN ACCESS

012048

On the Problem of Wear Resistant Coatings Separation From Tools and Machine Elements

S I Petrushin, R H Gubaidulina, S V Gruby and A V Likholt

[View article](#)[PDF](#)

OPEN ACCESS

012049

Influence of boric anhydride upon the physical and chemical properties of ferrosilicon slag

A M Yefimets, E P Tesleva and A V Solovyan

[View article](#)[PDF](#)

OPEN ACCESS

012050

Increasing the Operational Stability of Railway Core by Modifying

S N Fedoseev and Z M Mukhtar

[View article](#)[PDF](#)

OPEN ACCESS

012051

Research of influence of electric conditions of the combined electro-diamond

machining on quality of grinding of hard alloys

A S Yanyushkin, D V Lobanov and P V Arkhipov

[View article](#)[PDF](#)

012052

Finite Element Model of Trenchless Pipe Laying

P V Burkov, S P Burkova and A N Kravchenko

[View article](#)[PDF](#)

012053

Analysis of the influence of warming on the quality of soldered instruments

V V Konovodov, A V Valentov and I S Kukhar

[View article](#)[PDF](#)

012054

Influence of thick-walled cylinders length on the residual stresses generated during the single-cycle mandrelling

V F Skvortsov, A O Boznak, A B Kim and A Yu Arlyapov

[View article](#)[PDF](#)

012055

Stress and Strain State Analysis of Defective Pipeline Portion

P V Burkov, S P Burkova and S A Knaub

[View article](#)[PDF](#)

012056

Ultrasonic plastic deformation of steels

K Zaitsev, V Klimenov, M Loshchilova and C Polovnikov

[View article](#)[PDF](#)

012057

Research of surface activating influence on formation of adhesion between gas-thermal coating and steel substrate

Z Kovalevskaya, V Klimenov and K Zaitsev

[View article](#)[PDF](#)

012058

New design of cutters for coal mining machines

S Prokopenko, A Sushko and I Kurzina

 View article

 PDF

OPEN ACCESS

012059

Estimation of cutting ability of cubic nitride boron wheels by surface microhardness criteria for pendulum grinding of high-speed steel plates

Ya I Soler and A I Shustov

 View article

 PDF

OPEN ACCESS

012060

Estimating the cutting force when skiving with a radius cutter

A V Filippov and E O Filippova

 View article

 PDF

OPEN ACCESS

012061

Experimental estimation of chip shrinkage under cup-tip cutting with straight and radius cutters

E O Filippova and A V Filippov

 View article

 PDF

OPEN ACCESS

012062

Processing of brittle materials in the nanometer range of thickness of layers cut

M A Shavva, V V Lapshin and S V Grubyy

 View article

 PDF

Topic 3: Automation and informatization, economy and management of a company

OPEN ACCESS

012063

Review of modern biometric user authentication and their development prospects

Z V Boriev, S S Sokolov and A P Nyrkov

 View article

 PDF

OPEN ACCESS

012064

Using information technologies in dredging

D G Mamunts, S S Sokolov and A P Nyrkov

 View article

 PDF

OPEN ACCESS

012065

Microsoft Business Solutions-Axapta as a basis for automated monitoring of high

technology products competitiveness

G O Tashchiyan, A V Sushko and S V Grichin

[View article](#)[PDF](#)**OPEN ACCESS**

012066

Forecasting risk of bankruptcy for machine-building plants

E Telipenko, A Zakharova and Svetlana Sopova

[View article](#)[PDF](#)**OPEN ACCESS**

012067

Software selection based on analysis and forecasting methods, practised in 1C

A N Vazhdaev, T Y Chernysheva and E I Lisacheva

[View article](#)[PDF](#)**OPEN ACCESS**

012068

Strategic Concept of Competition Model in Knowledge-Based Logistics in Machinebuilding

O V Medvedeva

[View article](#)[PDF](#)**OPEN ACCESS**

012069

Methods for control over learning individual trajectory

A A Mitsel and N V Cherniaeva

[View article](#)[PDF](#)**OPEN ACCESS**

012070

Formalization model of expert knowledge about a technical index level of engineering products

A A Zakharova and V V Ostanin

[View article](#)[PDF](#)**OPEN ACCESS**

012071

Increase of stability of functioning of a production system of machine-building enterprise

A A Rudenko, D V Antipov and M O Iskoskov

[View article](#)[PDF](#)**Topic 4: Environmental protection, industrial labor safety**

OPEN ACCESS

012072

Analysis of air pollution from industrial plants by lichen indication on example of small town

K N Orlova, I R Pietkova and I F Borovikov

[View article](#)[PDF](#)**OPEN ACCESS**

012073

Environmental management on the basis of Complex Regional Indicators Concept: case of the Murmansk region

A Kozlov, S Gutman, I Zaychenko, E Rytova and P Nijinskaya

[View article](#)[PDF](#)**OPEN ACCESS**

012074

Engineering of centrifugal dust-collectors based on parallel comparing tests applying computer modelling

Y I Bulygin, D A Koronchik and A A Abuzyarov

[View article](#)[PDF](#)**OPEN ACCESS**

012075

Methodology of research for qualitative composition of municipal solid waste to select an optimal method of recycling

M V Kravtsova and D A Volkov

[View article](#)[PDF](#)**OPEN ACCESS**

012076

The Influence of Various Factors on the Methane Fermentation Process

M G Kurbanova, E A Egushova and OG Pozdnjakova

[View article](#)[PDF](#)**OPEN ACCESS**

012077

Updating of sewage - purification facilities of electroplating enterprises with counterflow ion-exchange filters

V F Torosyan, E S Torosyan, P D Sorokin and A A Telitsyn

[View article](#)[PDF](#)**OPEN ACCESS**

012078

The Study of Soil Protection in the System of the Cultivated Lands of Kemerovo Region

M A Yakovchenko, O B Konstantinova and A A Kosolapova

[View article](#)[!\[\]\(0d6a6f00060aaf300973bf619c8b7212_img.jpg\) PDF](#)**OPEN ACCESS**

012079

Statistic analysis of acoustic noise in the industrial and living areas

I N Kirillov and V V Bulkin

[View article](#)[!\[\]\(45508b8427911c5831891e2446b8470d_img.jpg\) PDF](#)**OPEN ACCESS**

012080

The problems of reducing the noise level on open sites of machine building plants and living areas

V V Bulkin and M V Kalinichenko

[View article](#)[!\[\]\(23f1ea6e477fa2c36c36829628ca89ec_img.jpg\) PDF](#)**OPEN ACCESS**

012081

Investigations of physicochemical properties of bottom-ash materials for use them as secondary raw materials

A G Mal'chik, S V Litovkin and P V Rodionov

[View article](#)[!\[\]\(263994d322ae2ba986be478731fe8606_img.jpg\) PDF](#)**OPEN ACCESS**

012082

Carbon Nanotubes Influence the Enzyme Activity of Biogeochemical Cycles of Carbon, Nitrogen, Phosphorus and the Pathogenesis of Plants in Annual Agroecosystems

O B Vaishlya, N N Osipov and N V Guseva

[View article](#)[!\[\]\(e21fc87942c253e1322b4bd0593023dd_img.jpg\) PDF](#)**Topic 5: Advanced technologies and equipment for agro-industrial complex (AIC) and mining****OPEN ACCESS**

012083

Comparison of mathematical methods of geochemical data processing

A Marfin, D V Lychagin, A Shapovalov and E A Alfyorova

[View article](#)[!\[\]\(368000911bf1fd561e077f9ee4b783fe_img.jpg\) PDF](#)**OPEN ACCESS**

012084

The distribution of stresses and strains in the mating elements disk tools working bodies of roadheaders

A A Khoreshok, L E Mametyev, A Yu Borisov and A V Vorobьев

[View article](#)[!\[\]\(27b1080ded91b0d7fc9ad67341b02e9b_img.jpg\) PDF](#)**OPEN ACCESS**

012085

Development of math model of geokhod bladed working body interaction with geo-environment

V Yu Sadowets, V Yu Beglyakov and V V Aksenov

[View article](#)[PDF](#)

012086

The application of the analytic hierarchy process when choosing layout schemes for a geokhod pumping station

R V Chernukhin, A A Dronov and M Y Blashchuk

[View article](#)[PDF](#)

012087

Radial deformations of working cylinder of hydraulic Legs depending on their extension

G D Buyalich, K G Buyalich and V V Voyevodin

[View article](#)[PDF](#)

012088

Classification of geokhod units and systems based on product cost analysis and estimation for a prototype model production

V V Aksenov, A V Walter, A A Gordeyev and A V Kosovets

[View article](#)[PDF](#)

012089

Spectral analysis of granular material reaction to long-term weak dynamic effect

A A Kazantsev, V P Kosykh and A F Revuzhenko

[View article](#)[PDF](#)

012090

On the theory of plasticity, associated with a new integral characteristic of shearing stresses

A A Kazantsev, O A Mikenina and A F Revuzhenko

[View article](#)[PDF](#)

012091

Improving of the operation efficiency of the vehicle due to using of the neodymium magnets inside the vibration isolation devices

E G Gurova

[View article](#)[PDF](#)

OPEN ACCESS

012092

Research of the pre-launch powered lubrication device of major parts of the engine D-240

M Korchuganova, A Syrbakov, A Tkachev and T Zorina

[View article](#)[!\[\]\(006190f2bbfbd38324559ea514e41ca7_img.jpg\) PDF](#)**OPEN ACCESS**

012093

Formation of the composition and properties of dumps on the open-pit mines of Kuzbass

Y V Lesin, S Y Luk'yanova and M A Tyuleneva

[View article](#)[!\[\]\(d27e48b2777a47a98adf1cbdde5037b2_img.jpg\) PDF](#)**JOURNAL LINKS**

[Journal home](#)

[Journal scope](#)

[Information for organizers](#)

[Information for authors](#)

[Contact us](#)

[Reprint services from Curran Associates](#)

Journals	Copyright 2024 IOP Publishing	Authors
Books	Terms and Conditions	Reviewers
IOP Conference Series	Disclaimer	Conference Organisers
About IOPscience	Privacy and Cookie Policy	
Contact Us		
Developing countries access		
IOP Publishing open access policy		
Accessibility		

This site uses cookies. By continuing to use this site you agree to our use of cookies.

